

德国 PCE-2550-ICA 一体化里氏硬度计



简单介绍

德国 PCE [里氏硬度计](#) PCE-2550-ICA, 包括 ISO 校准证书 便携式硬度计, 带集成冲击机构/ 用于金属材料/通过 USB 下载数据/ 测量记忆高达 360000 点 德国里氏硬度计由于其紧凑的设计, PCE-2550 金属硬度测试仪非常易于用于进出检测。由于可调节的硬度标度, 金属硬度测试仪 PCE-2550 是多功能的。金属硬度测试仪 PCE-2550 的测量范围足够大, 适用于非常柔软的表面以及极其坚硬的表面。德国里氏硬度计测量值可以存储在 PCE-2550 中, 然后通过可用软件读取和处理。金属硬度测试仪可存储 350 个数据组。OLED 显示屏也可以在黑暗环境中很好地读取。

功能特点:

硬度计 PCE-2550-ICA, 包括 ISO 校准证书

便携式硬度计, 带集成冲击机构/
用于金属材料/通过 **USB** 下载数据/
测量记忆高达 **360000** 点
确定所有常见的硬度参数
高精度
可在任何位置进行测量
精细的充电触发机制
内部测量值记忆
OLED 显示屏上显示





型号	PCE-2550-ICA
测量范围	(170-960)HLD, (19-651)HB, (13.5-101.7)HRB, (17.9-69.5)HRC, (59.1-88)HRA, (80-1042)HV, (30.6~102.6)HS 具体见表2
硬度单位	HL, HB, HRB, HRC, HRA, HV, HS
示值误差和示值重复性	见表1
冲击装置	D
测量方向	任意(360°)
上下限设置范围	(170-960) HLD
电源	电源:2个CR2016纽扣电池
工作温度	0-50℃
通讯接口标准	USB2.0
外型尺寸	145.5 x 32 x 26 毫米
重量	约160g

示值误差和示值重复性 (表1)

序号	冲击装置类型	标准里氏硬度块硬度值	示值误差	示值重复性
1	D	760 ± 30HLD	± 6 HLD	6 HLD
		530 ± 40HLD	± 10 HLD	10 HLD

测量范围 (表2)

PCE-2550-ICA	硬度制	冲击装置
		D
Steel and cast steel	HRC	17.9~68.5
	HRB	59.6~99.6
	HRA	59.1~85.8

钢和铸钢	HB	127~651
	HV	83~976
	HS	32.2~99.5
Wrought Steel 锻钢	HS	32.2~99.5
CWT、ST 合金工具钢	HRC	20.4~67.1
	HV	80~898
Stainless steel 不锈钢	HRB	46.5~101.7
	HB	85~655
	HV	85~802
GC. IRON 灰铸铁	HRC	-
	HB	93~334
	HV	-
NC、IRON 球墨铸铁	HRC	-
	HB	131~387
	HV	-
C. ALUM 铸铝合金	HB	19~164
	HRB	23.8~84.6
BRASS 铜锌合金	HB	-
	HRB	-
BRONZE 铜锡(铝)合金	HB	60~290
COPPER 纯铜	HB	45~315

标准配置:

- 1 x 硬度计 PCE-2550-ICA
- 1 x 个 USB 连接线
- 1 x 硬度试块
- 1 x 个清洁刷
- 1 x 个支撑环, Ø14mm
- 1 x 运输箱
- 1 x 使用说明书
- 1 x ISO 校准证书



Mittwoch, 6. September 2020

To Whom It May Concern

Letter of Authorization

Hereby it is to confirm that we, PCE Deutschland GmbH, have appointed Name of the Company: Beijing Time-Top Technology Co.,Ltd.
单位名称: 北京时代山峰科技有限公司

Address of the Company: Room 1202, jinLingShiDai Building #27Xiao Ying west road QingHe HaiDian District Beijing China
单位地址: 北京市海淀区清河小营西路 27 号金领时代大厦 1202 室

as the Distributor of for the People Republic of China. As an authorized distributor, Beijing Time-Top Technology Co.,Ltd. is able to sell our equipment.

Authorization period : Sep 6, 2020 to Dec 31,2023
If you have questions or comments, please contact us.

Sincerely,


PCE Deutschland GmbH
Im Langel 4, 59872 Meschede
Tel.: 02903/978990, Fax: 02903/978929
info@warensortiment.de
www.warensortiment.de

PCE Deutschland GmbH
Im Langel 4
D-59872 Meschede
Deutschland

